

Ferrara Fire Apparatus, Inc.

Base Model Summary

1. Model Number G-FL-P750

Freightliner 4x2 1250 GPM – 750 Gallon Pumper - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 174 inch wheelbase, Ferrara side mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

2. Model Number G-FL-P752

Freightliner 4x2 1250 GPM – 750 Gallon Pumper - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 192 inch wheelbase, Ferrara top mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

3. Model Number G-FL-P1000

Freightliner 4x2 1250 GPM – 1000 Gallon Pumper - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 174 inch wheelbase, Ferrara side mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

4. Model Number G-FL-P1002

Freightliner 4x2 1250 GPM – 1000 Gallon Pumper - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 192 inch wheelbase, Ferrara top mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

5. Model Number G-FL-T1500

Freightliner 4x2 1250 GPM – 1500 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 204 inch wheelbase, Ferrara side mount galvanneal modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.
Base Model Summary

6. Model Number G-FL-T1502

Freightliner 4x2 1250 GPM –1500 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 222 inch wheelbase, Ferrara top mount galvanneal modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

7. Model Number G-FL-T2000

Freightliner 4x2 1250 GPM –2000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 216 inch wheelbase, Ferrara side mount galvanneal modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

8. Model Number G-FL-T2002

Freightliner 4x2 1250 GPM –2000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, Caterpillar 3126 – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 235 inch wheelbase, Ferrara top mount galvanneal modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

9. Model Number G-INT-P750

International 4x2 1250 GPM –750 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 175 inch wheelbase, Ferrara side mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

10. Model Number G-INT-P752

International 4x2 1250 GPM –750 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 193 inch wheelbase, Ferrara top mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.

Base Model Summary

11. Model Number G-INT-P1000

International 4x2 1250 GPM –1000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 174 inch wheelbase, Ferrara side mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

12. Model Number G-INT-P1002

International 4x2 1250 GPM –1000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 192 inch wheelbase, Ferrara side mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

13. Model Number G-INT-T1500

International 4x2 1250 GPM –1500 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 205 inch wheelbase, Ferrara side mount galvanneal modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

14. Model Number G-INT-T1502

International 4x2 1250 GPM –1500 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 223 inch wheelbase, Ferrara top mount galvanneal modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

15. Model Number G-INT-T2000

International 4x2 1250 GPM –2000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 217 inch wheelbase, Ferrara side mount galvanneal modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.
Base Model Summary

16. Model Number G-INT-T2002

International 4x2 1250 GPM –2000 Gallon Tanker - 2 door cab with bench seat for up to three (3) firefighters, International 530E – 300hp Engine, Allison EVS 5-speed automatic transmission, approximately 234 inch wheelbase, Ferrara top mount galvanneal modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

17. Model Number G-IGN-P750

Ferrara Igniter Custom Pumper - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 162 inch wheelbase, Ferrara side mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

18. Model Number G-IGN-P752

Ferrara Igniter Custom Pumper - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 180 inch wheelbase, Ferrara top mount galvanneal modular body, 750 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

19. Model Number G-IGN-P1000

Ferrara Igniter Custom Pumper - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 162 inch wheelbase, Ferrara side mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

20. Model Number G-IGN-P1002

Ferrara Igniter Custom Pumper - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 180 inch wheelbase, Ferrara top mount galvanneal modular body, 1000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.
Base Model Summary

22. Model Number G-IGN-T1500

Ferrara Igniter Custom Tanker - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 192 inch wheelbase, Ferrara side mount galvanized modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

23. Model Number G-IGN-T1502

Ferrara Igniter Custom Tanker - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 210 inch wheelbase, Ferrara top mount galvanized modular body, 1500 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

24. Model Number G-IGN-T2000

Ferrara Igniter Custom Tanker - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 205 inch wheelbase, Ferrara side mount galvanized modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

25. Model Number G-IGN-T2002

Ferrara Igniter Custom Tanker - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 315hp Engine, Allison EVS 5-speed automatic transmission, approximately 223 inch wheelbase, Ferrara top mount galvanized modular body, 2000 gallon poly water tank, 1250 GPM Hale single stage pump, unit fully meets current NFPA 1901 standards.

26. Model Number G-IGN-771RML

Ferrara Igniter Custom 77' Aerial - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 400hp Engine, Allison EVS 5-speed automatic transmission, approximately 220 inch wheelbase, Ferrara extruded aluminum 77' rear mount aerial body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.
Base Model Summary

27. Model Number G-IGN-1071RML

Ferrara Igniter Custom 107' Aerial - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 450hp Engine, Allison EVS 5-speed automatic transmission, approximately 240 inch wheelbase, Ferrara extruded aluminum 107' rear mount aerial body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

28. Model Number G-IGN-871RMP

Ferrara Igniter Custom 87' Platform - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 450hp Engine, Allison EVS 5-speed automatic transmission, approximately 240 inch wheelbase, Ferrara extruded aluminum 87' rear mount platform body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

29. Model Number G-IGN-871MMP

Ferrara Igniter Custom 87' Platform Mid Mount - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 450hp Engine, Allison EVS 5-speed automatic transmission, approximately 240 inch wheelbase, Ferrara extruded aluminum 87' mid mount platform body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

30. Model Number G-IGN-1001RMP

Ferrara Igniter Custom 100' Platform - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 450hp Engine, Allison EVS 5-speed automatic transmission, approximately 240 inch wheelbase, Ferrara extruded aluminum 100' rear mount platform body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

31. Model Number G-IGN-1001MMP

Ferrara Igniter Custom 100' Platform Mid Mount - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISM 450hp Engine, Allison EVS 5-speed automatic transmission, approximately 250 inch wheelbase, Ferrara extruded aluminum 100' mid mount platform body, 300 gallon poly water tank, 1500 GPM pump, unit fully meets current NFPA 1901 standards.

Ferrara Fire Apparatus, Inc.
Base Model Summary

32. Model Number G-RESCUE

Ferrara Igniter Custom Rescue - 4 door custom cab with 911 seats for up to six (6) firefighters, Cummins ISC 350hp Engine, Allison EVS 5-speed automatic transmission, approximately 199 inch wheelbase, Ferrara extruded aluminum walk-in rescue body, unit fully meets current NFPA 1901 standards.

33. Model Number G-BRUSH

Ford F550 - 2 door commercial chassis with seating up to two (2) firefighters, 7.3L Diesel Engine, 5-speed automatic transmission, approximately 165 inch wheelbase, Ferrara extruded aluminum mini pumper body, 300 gallon poly water tank, 500 GPM PTO pump, unit fully meets current NFPA 1901 standards.

NOTE: These units are a base model, with the basic requirements of the current NFPA Standards. See the Option Lists for additional equipment, body and chassis configurations.

NOTE: Chassis will be with supplied new EVS transmissions. Commercial Chassis available are Freightliner FL70, FL80, M2, International 4400 and 7400 series, GMC and Sterling Acterra.

Full set of specifications and drawings can be obtained by contacting:

Ferrara Fire Apparatus, Inc.
Dave Carlton
1-800-443-9006
Fax # 225-567-7696
DaveC@ferrarafire.com